

# Technische specificaties **DIN & BS**

**EDrive Traction**  
**EDrive Endurance**  
**EDrive Traction Gel**

## EDrive Traction: DIN



Lengte van EDrive Traction cellen = 198mm

Code	Emrol code	Au/5u	Breedte	Dekselhoogte	Totale hoogte	Gewicht	Voorraad
2 PzS 100	DIN 290/47	100	47	282	305	6,8 kg	
3 PzS 150	DIN 290/65	150	65	282	305	9,6 kg	
4 PzS 200	DIN 290/83	200	83	282	305	12,4 kg	x
5 PzS 250	DIN 290/101	250	101	282	305	15,3 kg	x
6 PzS 300	DIN 290/119	300	119	282	305	18,2 kg	
7 PzS 350	DIN 290/137	350	137	282	305	21,1 kg	
8 PzS 400	DIN 290/155	400	155	282	305	24,0 kg	x
9 PzS 450	DIN 290/173	450	173	282	305	26,9 kg	
10 PzS 500	DIN 290/191	500	191	282	305	29,8 kg	
12 PzS 600	DIN 290/227	600	227	282	305	35,9 kg	

Code	Emrol code	Au/5u	Breedte	Dekselhoogte	Totale hoogte	Gewicht	Voorraad
2 PzS 120	DIN 365/47	120	47	340	363	8,5 kg	
3 PzS 180	DIN 365/65	180	65	340	363	11,9 kg	
4 PzS 240	DIN 365/83	240	83	340	363	15,4 kg	x
5 PzS 300	DIN 365/101	300	101	340	363	18,9 kg	x
6 PzS 360	DIN 365/119	360	119	340	363	22,4 kg	x
7 PzS 420	DIN 365/137	420	137	340	363	25,9 kg	
8 PzS 480	DIN 365/155	480	155	340	363	29,4 kg	
9 PzS 540	DIN 365/173	540	173	340	363	32,9 kg	
10 PzS 600	DIN 365/191	600	191	340	363	36,4 kg	
12 PzS 720	DIN 365/227	720	227	340	363	43,7 kg	

Code	Emrol code	Au/5u	Breedte	Dekselhoogte	Totale hoogte	Gewicht	Voorraad
2 PzS 160	DIN 428/47	160	47	402	425	10,2 kg	x
3 PzS 240	DIN 428/65	240	65	402	425	14,5 kg	x
4 PzS 320	DIN 428/83	320	83	402	425	18,7 kg	x
5 PzS 400	DIN 428/101	400	101	402	425	22,9 kg	x
6 PzS 480	DIN 428/119	480	119	402	425	27,1 kg	x
7 PzS 560	DIN 428/137	560	137	402	425	31,3 kg	x
8 PzS 640	DIN 428/155	640	155	402	425	35,5 kg	x
9 PzS 720	DIN 428/173	720	173	402	425	39,7 kg	
10 PzS 800	DIN 428/191	800	191	402	425	43,9 kg	
12 PzS 960	DIN 428/227	960	227	402	425	52,6 kg	

Code	Emrol code	Au/5u	Breedte	Dekselhoogte	Totale hoogte	Gewicht	Voorraad
2 PzS 180	DIN 495/47	180	47	472	495	11,6 kg	x
3 PzS 270	DIN 495/65	270	65	472	495	16,6 kg	x
4 PzS 360	DIN 495/83	360	83	472	495	21,4 kg	x
5 PzS 450	DIN 495/101	450	101	472	495	26,2 kg	
6 PzS 540	DIN 495/119	540	119	472	495	31,0 kg	
7 PzS 630	DIN 495/137	630	137	472	495	35,8 kg	x
8 PzS 720	DIN 495/155	720	155	472	495	40,6 kg	
9 PzS 810	DIN 495/173	810	173	472	495	45,4 kg	
10 PzS 900	DIN 495/191	900	191	472	495	50,2 kg	
12 PzS 1080	DIN 495/227	1080	227	472	495	60,1 kg	

## EDrive Traction: DIN



Lengte van EDrive Traction cellen = 198mm

Code	Emrol code	Au/5u	Breedte	Dekselhoogte	Totale hoogte	Gewicht	Voorraad
2 PzS 210	DIN 543/47	210	47	515	538	13,3 kg	
3 PzS 315	DIN 543/65	315	65	515	538	18,3 kg	
4 PzS 420	DIN 543/83	420	83	515	538	23,7 kg	x
5 PzS 525	DIN 543/101	525	101	515	538	29,1 kg	
6 PzS 630	DIN 543/119	630	119	515	538	34,5 kg	x
7 PzS 735	DIN 543/137	735	137	515	538	39,9 kg	
8 PzS 840	DIN 543/155	840	155	515	538	45,3 kg	
9 PzS 945	DIN 543/173	945	173	515	538	50,7 kg	
10 PzS 1050	DIN 543/191	1050	191	515	538	56,4 kg	
12 PzS 1260	DIN 543/227	1260	227	515	538	67,2 kg	

Code	Emrol code	Au/5u	Breedte	Dekselhoogte	Totale hoogte	Gewicht	Voorraad
2 PzS 230	DIN 574/47	230	47	545	568	14,0 kg	x
3 PzS 345	DIN 574/65	345	65	545	568	19,8 kg	x
4 PzS 460	DIN 574/83	460	83	545	568	25,6 kg	
5 PzS 575	DIN 574/101	575	101	545	568	31,4 kg	x
6 PzS 690	DIN 574/119	690	119	545	568	37,2 kg	x
7 PzS 805	DIN 574/137	805	137	545	568	43,0 kg	
8 PzS 920	DIN 574/155	920	155	545	568	48,8 kg	
9 PzS 1035	DIN 574/173	1035	173	545	568	54,9 kg	
10 PzS 1150	DIN 574/191	1150	191	545	568	60,7 kg	
12 PzS 1380	DIN 574/227	1380	227	545	568	72,3 kg	

Code	Emrol code	Au/5u	Breedte	Dekselhoogte	Totale hoogte	Gewicht	Voorraad
2 PzS 250	DIN 600/47	250	47	570	593	14,7 kg	x
3 PzS 375	DIN 600/65	375	65	570	593	20,7 kg	x
4 PzS 500	DIN 600/83	500	83	570	593	26,9 kg	x
5 PzS 625	DIN 600/101	625	101	570	593	33,1 kg	x
6 PzS 750	DIN 600/119	750	119	570	593	39,3 kg	x
7 PzS 875	DIN 600/137	875	137	570	593	45,5 kg	x
8 PzS 1000	DIN 600/155	1000	155	570	593	51,7 kg	x
9 PzS 1125	DIN 600/173	1125	173	570	593	58,2 kg	
10 PzS 1250	DIN 600/191	1250	191	570	593	64,4 kg	
12 PzS 1500	DIN 600/227	1500	227	570	593	76,8 kg	

Code	Emrol code	Au/5u	Breedte	Dekselhoogte	Totale hoogte	Gewicht	Voorraad
2 PzS 280	DIN 715/47	280	47	686	709	20,6 kg	
3 PzS 420	DIN 715/65	420	65	686	709	25,3 kg	x
4 PzS 560	DIN 715/83	560	83	686	709	32,2 kg	x
5 PzS 700	DIN 715/101	700	101	686	709	39,5 kg	
6 PzS 840	DIN 715/119	840	119	686	709	46,7 kg	
7 PzS 980	DIN 715/137	980	137	686	709	54,0 kg	
8 PzS 1120	DIN 715/155	1120	155	686	709	61,2 kg	
9 PzS 1260	DIN 715/173	1260	173	686	709	68,8 kg	
10 PzS 1400	DIN 715/191	1400	191	686	709	76,0 kg	
12 PzS 1680	DIN 715/227	1680	227	686	709	90,5 kg	

## EDrive Traction: DIN



Lengte van EDrive Traction cellen = 198mm

Code	Emrol code	Au/5u	Breedte	Dekselhoogte	Totale hoogte	Gewicht	Voorraad
2 PzS 310	DIN 745/47	310	47	720	743	21,5 kg	
3 PzS 465	DIN 745/65	465	65	720	743	26,1 kg	x
4 PzS 620	DIN 745/83	620	83	720	743	33,5 kg	x
5 PzS 775	DIN 745/101	775	101	720	743	41,1 kg	x
6 PzS 930	DIN 745/119	930	119	720	743	48,9 kg	x
7 PzS 1085	DIN 745/137	1085	137	720	743	56,7 kg	
8 PzS 1240	DIN 745/155	1240	155	720	743	64,5 kg	
9 PzS 1395	DIN 745/173	1395	173	720	743	72,8 kg	
10 PzS 1550	DIN 745/191	1550	191	720	743	80,6 kg	
12 PzS 1860	DIN 745/227	1860	227	720	743	96,2 kg	

## EDrive Traction: BS



Lengte van EDrive BS cellen = 158mm

Code	Emrol code	Au/Su	Breedte	Dekselhoogte	Totale hoogte	Gewicht	Voorraad
2 PzB 64	BS 294/46	64	46	260	284	5,1 kg	
3 PzB 96	BS 294/62	96	62	260	284	7,1 kg	
4 PzB 128	BS 294/78	128	78	260	284	9,2 kg	
5 PzB 160	BS 294/94	160	94	260	284	11,3 kg	
6 PzB 192	BS 294/110	192	110	260	284	13,2 kg	
7 PzB 224	BS 294/126	224	126	260	284	15,0 kg	
8 PzB 256	BS 294/142	256	142	260	284	16,8 kg	
9 PzB 288	BS 294/158	288	158	260	284	19,1 kg	
10 PzB 320	BS 294/174	320	174	260	284	20,9 kg	
11 PzB 352	BS 294/190	352	189	260	284	22,7 kg	

Code	Emrol code	Au/Su	Breedte	Dekselhoogte	Totale hoogte	Gewicht	Voorraad
2 PzB 84	BS 357/46	84	46	326	350	6,9 kg	
3 PzB 126	BS 357/62	126	62	326	350	9,4 kg	
4 PzB 168	BS 357/78	168	78	326	350	11,9 kg	
5 PzB 210	BS 357/94	210	94	326	350	14,5 kg	
6 PzB 252	BS 357/110	252	110	326	350	17,3 kg	
7 PzB 294	BS 357/126	294	126	326	350	20,0 kg	
8 PzB 336	BS 357/142	336	142	326	350	22,3 kg	
9 PzB 378	BS 357/158	378	158	326	350	25,2 kg	
10 PzB 420	BS 357/174	420	174	326	350	27,6 kg	
11 PzB 462	BS 357/190	462	189	326	350	30,0 kg	

Code	Emrol code	Au/Su	Breedte	Dekselhoogte	Totale hoogte	Gewicht	Voorraad
2 PzB 110	BS 435/46	110	46	399	423	7,6 kg	
3 PzB 165	BS 435/62	165	62	399	423	10,5 kg	
4 PzB 220	BS 435/78	220	78	399	423	13,5 kg	
5 PzB 275	BS 435/94	275	94	399	423	16,5 kg	
6 PzB 330	BS 435/110	330	110	399	423	19,6 kg	
7 PzB 385	BS 435/126	385	126	399	423	22,6 kg	
8 PzB 440	BS 435/142	440	142	399	423	25,6 kg	
9 PzB 495	BS 435/158	495	158	399	423	29,1 kg	
10 PzB 550	BS 435/174	550	174	399	423	32,1 kg	
11 PzB 605	BS 435/190	605	189	399	423	35,2 kg	

Code	Emrol code	Au/Su	Breedte	Dekselhoogte	Totale hoogte	Gewicht	Voorraad
2 PzB 130	BS 487/46	130	46	453	477	8,2 kg	
3 PzB 195	BS 487/62	195	62	453	477	12,0 kg	
4 PzB 260	BS 487/78	260	78	453	477	15,5 kg	
5 PzB 325	BS 487/94	325	94	453	477	19,0 kg	
6 PzB 390	BS 487/110	390	110	453	477	22,6 kg	
7 PzB 455	BS 487/126	455	126	453	477	26,1 kg	
8 PzB 520	BS 478/142	520	142	453	477	29,6 kg	
9 PzB 585	BS 487/158	585	158	453	477	33,6 kg	
10 PzB 650	BS 487/174	650	174	453	477	37,2 kg	
11 PzB 715	BS 487/190	715	189	453	477	40,7 kg	

## EDrive Traction: BS



Lengte van EDrive BS cellen = 158mm

Code	Emrol code	Au/Su	Breedte	Dekselhoogte	Totale hoogte	Gewicht	Voorraad
2 PzB 150	BS 548/46	150	46	513	537	10,0 kg	x
3 PzB 225	BS 548/62	225	62	513	537	13,9 kg	x
4 PzB 300	BS 548/78	300	78	513	537	17,8 kg	x
5 PzB 375	BS 548/94	375	94	513	537	21,6 kg	x
6 PzB 450	BS 548/110	450	110	513	537	25,6 kg	
7 PzB 525	BS 548/126	525	126	513	537	29,6 kg	x
8 PzB 600	BS 548/142	600	142	513	537	33,5 kg	
9 PzB 675	BS 548/158	675	158	513	537	38,2 kg	
10 PzB 750	BS 548/174	750	174	513	537	42,3 kg	
11 PzB 825	BS 548/190	825	189	513	537	46,4 kg	

Code	Emrol code	Au/Su	Breedte	Dekselhoogte	Totale hoogte	Gewicht	Voorraad
2 PzB 172	BS 601/46	172	46	567	591	10,7 kg	
3 PzB 258	BS 601/62	258	62	567	591	15,0 kg	
4 PzB 344	BS 601/78	344	78	567	591	19,3 kg	
5 PzB 430	BS 601/94	430	94	567	591	23,7 kg	x
6 PzB 516	BS 601/110	516	110	567	591	28,1 kg	
7 PzB 602	BS 601/126	602	126	567	591	32,6 kg	
8 PzB 688	BS 601/142	688	142	567	591	37,1 kg	
9 PzB 774	BS 601/158	774	158	567	591	42,3 kg	
10 PzB 860	BS 601/174	860	174	567	591	46,9 kg	
11 PzB 946	BS 601/190	946	189	567	591	51,4 kg	

Code	Emrol code	Au/Su	Breedte	Dekselhoogte	Totale hoogte	Gewicht	Voorraad
2 PzB 200	BS 634/46	200	46	604	628	11,8 kg	x
3 PzB 300	BS 634/62	300	62	604	628	16,6 kg	x
4 PzB 400	BS 634/78	400	78	604	628	21,5 kg	x
5 PzB 500	BS 634/94	500	94	604	628	26,4 kg	
6 PzB 600	BS 634/110	600	110	604	628	31,5 kg	
7 PzB 700	BS 634/126	700	126	604	628	36,4 kg	
8 PzB 800	BS 634/142	800	142	604	628	41,4 kg	
9 PzB 900	BS 634/158	900	158	604	628	47,1 kg	
10 PzB 1000	BS 634/174	1000	174	604	628	52,0 kg	
11 PzB 1100	BS 634/190	1100	189	604	628	56,9 kg	

Code	Emrol code	Au/Su	Breedte	Dekselhoogte	Totale hoogte	Gewicht	Voorraad
2 PzB 216	BS 720/46	216	46	688	712	13,5 kg	
3 PzB 324	BS 720/62	324	62	688	712	18,9 kg	
4 PzB 432	BS 720/78	432	78	688	712	24,3 kg	
5 PzB 540	BS 720/94	540	94	688	712	29,7 kg	
6 PzB 648	BS 720/110	648	110	688	712	35,1 kg	
7 PzB 756	BS 720/126	756	126	688	712	40,5 kg	
8 PzB 864	BS 720/142	864	142	688	712	45,9 kg	
9 PzB 972	BS 720/158	972	158	688	712	52,0 kg	
10 PzB 1080	BS 720/174	1080	174	688	712	57,4 kg	
11 PzB 1188	BS 720/190	1188	189	688	712	62,8 kg	

## EDrive Endurance: DIN



Lengte van EDrive Endurance cellen = 198mm

Code	Emrol code	Au/5u	Breedte	Dekselhoogte	Totale hoogte	Gewicht	Voorraad
2 PzS 100	DIN 300/45 E	100	45	267	296	7,1	
3 PzS 150	DIN 300/64 E	150	64	267	296	10,0	
4 PzS 200	DIN 300/82 E	200	82	267	296	12,9	
5 PzS 250	DIN 300/101 E	250	101	267	296	15,9	
6 PzS 300	DIN 300/118 E	300	118	267	296	18,9	
7 PzS 350	DIN 300/137 E	350	137	267	296	21,8	
8 PzS 400	DIN 300/155 E	400	155	267	296	24,6	
9 PzS 450	DIN 300/172 E	450	172	267	296	27,8	
10 PzS 500	DIN 300/190 E	500	190	267	296	30,7	
12 PzS 600	DIN 300/227 E	600	227	267	296	36,6	

Code	Emrol code	Au/5u	Breedte	Dekselhoogte	Totale hoogte	Gewicht	Voorraad
2 PzS 120	DIN 365/45 E	120	45	336	365	8,7	
3 PzS 180	DIN 365/64 E	180	64	336	365	12,3	
4 PzS 240	DIN 365/82 E	240	82	336	365	15,9	
5 PzS 300	DIN 365/101 E	300	101	336	365	19,6	
6 PzS 360	DIN 365/118 E	360	118	336	365	23,3	
7 PzS 420	DIN 365/137 E	420	137	336	365	27,0	
8 PzS 480	DIN 365/155 E	480	155	336	365	30,6	
9 PzS 540	DIN 365/172 E	540	172	336	365	34,6	
10 PzS 600	DIN 365/190 E	600	190	336	365	38,2	
12 PzS 720	DIN 365/227 E	720	227	336	365	45,5	

Code	Emrol code	Au/5u	Breedte	Dekselhoogte	Totale hoogte	Gewicht	Voorraad
2 PzS 160	DIN 435/45 E	160	45	404	433	10,6	
3 PzS 240	DIN 435/64 E	240	64	404	433	15,1	
4 PzS 320	DIN 435/82 E	320	82	404	433	19,6	
5 PzS 400	DIN 435/101 E	400	101	404	433	24,1	
6 PzS 480	DIN 435/118 E	480	118	404	433	28,6	
7 PzS 560	DIN 435/137 E	560	137	404	433	33,1	
8 PzS 640	DIN 435/155 E	640	155	404	433	37,6	
9 PzS 720	DIN 435/172 E	720	172	404	433	42,5	
10 PzS 800	DIN 435/190 E	800	190	404	433	47,0	
12 PzS 960	DIN 435/227 E	960	227	404	433	56,0	

Code	Emrol code	Au/5u	Breedte	Dekselhoogte	Totale hoogte	Gewicht	Voorraad
2 PzS 180	DIN 500/47 E	180	47	467	496	12,3	
3 PzS 270	DIN 500/65 E	270	65	467	496	17,6	
4 PzS 360	DIN 500/83 E	360	83	467	496	22,9	
5 PzS 450	DIN 500/101 E	450	101	467	496	28,2	
6 PzS 540	DIN 500/119 E	540	119	467	496	33,5	
7 PzS 630	DIN 500/137 E	630	137	467	496	38,8	
8 PzS 720	DIN 500/155 E	720	155	467	496	44,0	
9 PzS 810	DIN 500/173 E	810	173	467	496	49,7	
10 PzS 900	DIN 500/192 E	900	192	467	496	55,0	
12 PzS 1080	DIN 500/227 E	1080	227	467	496	65,5	

## EDrive Endurance: DIN



Lengte van EDrive Endurance cellen = 198mm

Code	Emrol code	Au/5u	Breedte	Dekselhoogte	Totale hoogte	Gewicht	Voorraad
2 PzS 210	DIN 545/47 E	210	47	512	541	13,1	
3 PzS 315	DIN 545/65 E	315	65	512	541	18,8	
4 PzS 420	DIN 545/83 E	420	83	512	541	24,4	
5 PzS 525	DIN 545/101 E	525	101	512	541	30,0	
6 PzS 630	DIN 545/119 E	630	119	512	541	35,6	
7 PzS 735	DIN 545/137 E	735	137	512	541	41,2	
8 PzS 840	DIN 545/155 E	840	155	512	541	46,9	
9 PzS 945	DIN 545/173 E	945	173	512	541	53,0	
10 PzS 1050	DIN 545/192 E	1050	192	512	541	58,6	
12 PzS 1260	DIN 545/227 E	1260	227	512	541	69,9	

Code	Emrol code	Au/5u	Breedte	Dekselhoogte	Totale hoogte	Gewicht	Voorraad
2 PzS 230	DIN 565/47 E	230	47	532	561	14,3	
3 PzS 345	DIN 565/65 E	345	65	532	561	20,3	
4 PzS 460	DIN 565/83 E	460	83	532	561	26,3	
5 PzS 575	DIN 565/101 E	575	101	532	561	32,4	
6 PzS 690	DIN 565/119 E	690	119	532	561	38,5	
7 PzS 805	DIN 565/137 E	805	137	532	561	44,5	
8 PzS 920	DIN 565/155 E	920	155	532	561	50,6	
9 PzS 1035	DIN 565/173 E	1035	173	532	561	57,2	
10 PzS 1150	DIN 565/192 E	1150	192	532	561	63,2	
12 PzS 1380	DIN 565/227 E	1380	227	532	561	75,4	

Code	Emrol code	Au/5u	Breedte	Dekselhoogte	Totale hoogte	Gewicht	Voorraad
2 PzS 250	DIN 600/47 E	250	47	567	596	15,1	
3 PzS 375	DIN 600/65 E	375	65	567	596	21,6	
4 PzS 500	DIN 600/83 E	500	83	567	596	28,1	
5 PzS 625	DIN 600/101 E	625	101	567	596	34,6	
6 PzS 750	DIN 600/119 E	750	119	567	596	41,1	
7 PzS 875	DIN 600/137 E	875	137	567	596	47,6	
8 PzS 1000	DIN 600/155 E	1000	155	567	596	54,1	
9 PzS 1125	DIN 600/173 E	1125	173	567	596	61,1	
10 PzS 1250	DIN 600/192 E	1250	192	567	596	67,6	
12 PzS 1500	DIN 600/227 E	1500	227	567	596	80,6	

Code	Emrol code	Au/5u	Breedte	Dekselhoogte	Totale hoogte	Gewicht	Voorraad
2 PzS 280	DIN 725/47 E	280	47	690	719	17,7	
3 PzS 420	DIN 725/65 E	420	65	690	719	25,3	
4 PzS 560	DIN 725/83 E	560	83	690	719	33,0	
5 PzS 700	DIN 725/101 E	700	101	690	719	40,7	
6 PzS 840	DIN 725/119 E	840	119	690	719	48,2	
7 PzS 980	DIN 725/137 E	980	137	690	719	55,9	
8 PzS 1120	DIN 725/155 E	1120	155	690	719	63,5	
9 PzS 1260	DIN 725/173 E	1260	173	690	719	71,6	
10 PzS 1400	DIN 725/192 E	1400	192	690	719	79,2	
12 PzS 1680	DIN 725/227 E	1680	227	690	719	94,5	



## EDrive Endurance: DIN



Lengte van EDrive Endurance cellen = 198mm

Code	Emrol code	Au/5u	Breedte	Dekselhoogte	Totale hoogte	Gewicht	Voorraad
2 PzS 310	DIN 745/47 E	310	47	710	739	19,3	
3 PzS 465	DIN 745/65 E	465	65	710	739	27,6	
4 PzS 620	DIN 745/83 E	620	83	710	739	35,8	
5 PzS 775	DIN 745/101 E	775	101	710	739	44,1	
6 PzS 930	DIN 745/119 E	930	119	710	739	52,4	
7 PzS 1085	DIN 745/137 E	1085	137	710	739	60,6	
8 PzS 1240	DIN 745/155 E	1240	155	710	739	68,9	
9 PzS 1395	DIN 745/173 E	1395	173	710	739	77,6	
10 PzS 1550	DIN 745/192 E	1550	192	710	739	85,9	
12 PzS 1860	DIN 745/227 E	1860	227	710	739	102,4	

## EDrive Endurance BS

Lengte van EDrive Endurance BS cellen = 158mm

Code	Emrol code	Au/5u	Breedte	Dekselhoogte	Totale hoogte	Gewicht	Voorraad
2 PzB 150	BS 540/45 E	150	45	512	541	10,8	
3 PzB 225	BS 540/61 E	225	61	512	541	15,0	
4 PzB 300	BS 540/77 E	300	77	512	541	19,2	
5 PzB 375	BS 540/93 E	375	93	512	541	23,4	
6 PzB 450	BS 540/109 E	450	109	512	541	27,6	
7 PzB 525	BS 540/125 E	525	125	512	541	31,7	

Code	Emrol code	Au/5u	Breedte	Dekselhoogte	Totale hoogte	Gewicht	Voorraad
2 PzB 200	BS 635/45 E	200	45	607	636	12,8	
3 PzB 300	BS 635/61 E	300	61	607	636	17,9	
4 PzB 400	BS 635/77 E	400	77	607	636	23,0	
5 PzB 500	BS 635/93 E	500	93	607	636	28,2	
6 PzB 600	BS 635/109 E	600	109	607	636	33,3	
7 PzB 700	BS 635/125 E	700	125	607	636	38,4	

## EDrive Traction Gel DIN



Lengte van EDrive Traction Gel cellen = 198mm

Code	Emrol code	Au/5u	Breedte	Dekselhoogte	Totale hoogte	Gewicht	Voorraad
2 PzV 110	DIN 370/47 G	110	47	342	370	9,3 kg	
3 PzV 165	DIN 370/65 G	165	65	342	370	12,7 kg	
4 PzV 220	DIN 370/83 G	220	83	342	370	16,5 kg	x
5 PzV 275	DIN 370/101 G	275	101	342	370	20,1 kg	
6 PzV 330	DIN 370/119 G	330	119	342	370	23,8 kg	
7 PzV 420	DIN 370/137 G	385	137	342	370	27,4 kg	
8 PzV 480	DIN 370/155 G	480	155	342	370	31,1 kg	

Code	Emrol code	Au/5u	Breedte	Dekselhoogte	Totale hoogte	Gewicht	Voorraad
2 PzV 140	DIN 430/47 G	140	47	402	430	10,2 kg	
3 PzV 210	DIN 430/65 G	210	65	402	430	15,5 kg	
4 PzV 280	DIN 430/83 G	280	83	402	430	19,7 kg	x
5 PzV 350	DIN 430/101 G	350	101	402	430	24,2 kg	x
6 PzV 420	DIN 430/119 G	420	119	402	430	29,1 kg	
7 PzV 525	DIN 430/137 G	525	137	402	430	32,5 kg	
8 PzV 600	DIN 430/155 G	600	155	402	430	36,9 kg	

Code	Emrol code	Au/5u	Breedte	Dekselhoogte	Totale hoogte	Gewicht	Voorraad
2 PzV 160	DIN 500/47 G	160	47	472	500	12,7 kg	
3 PzV 240	DIN 500/65 G	240	65	472	500	18,1 kg	
4 PzV 320	DIN 500/83 G	320	83	472	500	23,6 kg	
5 PzV 400	DIN 500/101 G	400	101	472	500	29,0 kg	
6 PzV 480	DIN 500/119 G	480	119	472	500	35,0 kg	
7 PzV 609	DIN 500/137 G	609	137	472	500	39,0 kg	
8 PzV 696	DIN 500/155 G	696	155	472	500	44,4 kg	

Code	Emrol code	Au/5u	Breedte	Dekselhoogte	Totale hoogte	Gewicht	Voorraad
2 PzV 200	DIN 595/47 G	200	47	563	595	14,7 kg	
3 PzV 300	DIN 595/65 G	300	65	563	595	21,6 kg	
4 PzV 400	DIN 595/83 G	400	83	563	595	27,8 kg	
5 PzV 500	DIN 595/101 G	500	101	563	595	34,3 kg	
6 PzV 600	DIN 595/119 G	600	119	563	595	40,6 kg	
7 PzV 770	DIN 595/137 G	770	137	563	595	47,1 kg	
8 PzV 880	DIN 595/155 G	880	155	563	595	53,6 kg	

Code	Emrol code	Au/5u	Breedte	Dekselhoogte	Totale hoogte	Gewicht	Voorraad
2 PzV 240	DIN 750/47 G	240	47	724	750	19,7 kg	
3 PzV 360	DIN 750/65 G	360	65	724	750	27,4 kg	
4 PzV 480	DIN 750/83 G	480	83	724	750	35,3 kg	
5 PzV 600	DIN 750/101 G	600	101	724	750	42,1 kg	
6 PzV 720	DIN 750/119 G	720	119	724	750	50,0 kg	
7 PzV 980	DIN 750/137 G	980	137	724	750	62,1 kg	
8 PzV 1120	DIN 750/155 G	1120	155	724	750	70,4 kg	

## EDrive Traction Gel BS



Lengte van EDrive Traction Gel BS cellen = 158mm

Code	Emrol code	Au/5u	Breedte	Dekselhoogte	Totale hoogte	Gewicht	Voorraad
2 PzVB 122	BS 484/45 G	122	45	456	484	9,7 kg	
3 PzVB 183	BS 484/63 G	183	63	456	484	13,5 kg	
4 PzVB 244	BS 484/78 G	244	78	456	484	16,9 kg	

Code	Emrol code	Au/5u	Breedte	Dekselhoogte	Totale hoogte	Gewicht	Voorraad
2 PzVB 142	BS 544/45 G	142	45	516	544	10,6 kg	
3 PzVB 213	BS 544/63 G	213	63	516	544	14,8 kg	
4 PzVB 284	BS 544/78 G	284	78	516	544	18,5 kg	

Code	Emrol code	Au/5u	Breedte	Dekselhoogte	Totale hoogte	Gewicht	Voorraad
2 PzVB 170	BS 639/45 G	170	45	611	639	11,8 kg	
3 PzVB 255	BS 639/63 G	255	63	611	639	16,1 kg	
4 PzVB 340	BS 639/78 G	340	78	611	639	20,7 kg	